



Industrial Electrical Horizontal Slurry Pump / Heavy Duty Sludge Pump Centrifugal

Our Product Introduction

Basic Information

- Place of Origin: Sichuan, China
- Brand Name: horizontal-slurrypump.com
- Certification: ISO9001
- Model Number: OEM
- Minimum Order Quantity: 1 set
- Price: USD500-5000/set
- Packaging Details: free fumigation export wooden box packaging
- Delivery Time: 25 working days after receiveing advance payment
- Payment Terms: L/C,D/A,D/P,T/T,Western Union,MoneyGram,Paypal
- Supply Ability: 300 sets per month



Product Specification

- Theory: Centrifugal Pump
- Flow: 4 ~ 3000 M³/h
- Head: 10 ~ 130 M/32~425ft
- Structure: Single-stage
- Warranty: One Year
- Material: High Chrome Alloy And Rubber
- Usage: Sludge Slurry Pump For Sale
- Highlight: **horizontal centrifugal slurry pump**



for more products please visit us on horizontal-slurrypump.com

Product Description

Centrifugal Industrial Electrical Horizontal Slurry Pump Heavy Duty Sludge Pump Types

Specification Data

Discharge Size:20mm~350mm	NPSH:0m~3m
Inlet Size:32mm~400mm	Allowed Max Particle Size:20 mm
Capacity:4 ~ 3000 m³/h	Seal Type:step-down dynamic seal
Head:10 ~ 130 m	Pump Weight:up to 3000kg
Maximal Efficiency:70%	RPM:1450 r/min

Application

Automobile pickling	Non-ferrous metal metallurgy	Caustic soda	Pesticide
Electronics	Papermaking	Rare-earth separation	Pharmaceutical
Pulp production	Sulfuric acid industry	Environmental protection	

Main Feature

- 1) Bearing assembly- large diameter shaft with short overhang contributes to long bearing life.
- 2) Liners – easily replaceable liners are bolted, not glued to the casing for positive maintenance.
- 3) Casing – Casing halves of cast or ductile iron provide high operating pressure capabilities.
- 4) Impeller – front and rear shrouds have pump out vanes that reduce recirculation and seal contamination.
- 5) Apply a linker to connect with the air conveyor ,which can directly inline with filling machine .



Structure



Materials Choose

	IMPELLERS	CASING	COLUMN	DISCHARGE	SEALS
Stand ard	High Chrome Alloy Rubber	High Chrome Alloy Rubber	Mild Steel Mild Steel Rubber Lined	Mild Steel Mild Steel Rubber Lined	Natural Rubber Rubber
Optio ns	Butyl EPDM Hypalon Polyurethane 316 SS W 151	Neoprene Butyl EPDM Hypalon Nitrile 316 SS W 151	Neoprene Butyl Nitrile 316 SS	Neoprene Butyl Nitrile 316 SS	Nordel Neoprene Viton Hypalon Butyl EPDM

ROMAN Beijing Silk Road Enterprise Management Services Co.,LTD

☎ 0086-17773109286

✉ jeffreyth@slurrypump.com

🌐 horizontal-slurrypump.com

Floor 5, 2nd Building, Zhonglu Industrial Zone, Shenzhen City, Guangdong Province China (Mainland)